

UNITED STATES DEPARTMENT OF AGRICULTURE

1930-220th St. SE, Ste. 102
Bothell, WA 98021-8471
Phone: (425) 487-6009
Fax: (425) 487-2775
E-mail: fmmaseattle@fmmaseattle.com

Agricultural Marketing Service
Dairy Programs
FEDERAL MILK ORDERS 124 & 131

10050 N 25th Ave., Ste. 302
Phoenix, AZ 85021-1664
Phone: (602) 547-2909
Fax: (602) 547-2906
E-mail: ma@fmma.net

**ANALYSIS OF COMPONENT LEVELS IN INDIVIDUAL
HERD MILK AT THE FARM LEVEL**

**PACIFIC NORTHWEST AND ARIZONA-LAS VEGAS
FEDERAL MILK MARKETING ORDERS**

2005

Staff Paper 06-01

Chris Werner

June 2006

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or part of an individual's income is derived from any public assistance program (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

**ANALYSIS OF COMPONENT LEVELS IN INDIVIDUAL
HERD MILK AT THE FARM LEVEL**

**PACIFIC NORTHWEST AND ARIZONA-LAS VEGAS
FEDERAL MILK MARKETING ORDERS**

2005

Chris Werner

Abstract

Component levels in producer milk pooled on the Pacific Northwest (FO 124) and Arizona-Las Vegas (FO 131) Federal Milk Marketing Orders were analyzed for 2005 to determine average levels, regional and seasonal variation, and, when possible, the statistical relationship between components. Handlers regulated under the Pacific Northwest Order report butterfat, protein, and other solids. Handlers regulated under the Arizona-Las Vegas Order report butterfat only. Producer milk pooled was also valued using Federal order minimum producer prices for the respective orders. For 2005, a monthly average total of 905 producers were pooled on the Pacific Northwest and Arizona-Las Vegas Orders. During 2005, these producers delivered 10.0 billion pounds to the two markets. The milk shed of the two Federal orders includes Arizona, California, Idaho, Oregon, and Washington.

Major findings of this study include:

1. The 2005 average component levels for the Pacific Northwest Order were 3.67% butterfat, 3.05% true protein, and 5.71% other solids. The 2005 average butterfat level for the Arizona-Las Vegas Order was 3.59%.
2. In both orders, butterfat levels decrease during the summer months and increase in the late fall and winter. In the Pacific Northwest Order protein showed the same seasonality as butterfat.
3. Although the volume of producer milk, number of producers, and average milk production per producer varies greatly between regions, there are only small differences in aggregate component levels between geographic regions within the milk sheds of the two orders.
4. The Pacific Northwest Order's linear regression in 2005 for protein is $PRO\% = 1.44 + 0.439 * BF\%$, with an R-squared of 0.66.
5. The Pacific Northwest Order's regressions for estimating other solids using butterfat have a very poor correlation (R-squared of less than 0.1). The monthly regressions show a negative relationship; other solids levels appear to be independent of butterfat levels.

TABLE OF CONTENTS

Section	Page Number
I. INTRODUCTION	1
II. DATA AND METHODOLOGY	2
III. SEASONAL VARIATION IN MILK COMPONENT LEVELS	3
Table 1: Monthly Component Levels, Pacific Northwest Order, 2005	3
Table 2: Monthly Component Levels, Arizona-Las Vegas Order, 2005	4
Table 3: Component Levels: Weighted Average, Mean, Median, Standard Deviation, Minimum, and Maximum, Pacific Northwest Order, 2005	5
Table 4: Component Levels: Weighted Average, Mean, Median, Standard Deviation, Minimum, and Maximum, Arizona-Las Vegas Order, 2005	5
IV. REGIONAL VARIATION IN MILK COMPONENT LEVELS	5
Table 5: Various Statistics by Region for 2005	6
Table 6: Producer Milk and Producers by Region for October 2005 and 2004	7
V. STATISTICAL RELATIONSHIP AMONG MILK COMPONENTS	8
Table 7: Pacific Northwest Order Comparison of Regression Results: Butterfat Levels as a Predictor of Protein Levels, 2000 through 2005	8
VI. MINIMUM ORDER VALUE OF PRODUCER MILK	8
VII. SUMMARY	9

Tables:	A-1	Statistical Data for Producers on the Pacific Northwest Order Included in Component Analysis, 2005	11
	A-2	Statistical Data for Producers on the Arizona-Las Vegas Order Included in Component Analysis, 2005	13
	A-3	Weighted Average Component Levels By Region, 2005	14
	A-4	Linear Relationships between Various Milk Components, 2005 Butterfat Levels as a Predictor of Protein	17
	A-5	Linear Relationships between Various Milk Components, 2005 Butterfat Levels as a Predictor of Other Solids.....	18
	A-6	Monthly Producer Component Prices, 2005	19
	A-7	Aggregated Component Tests by Size-Range of Producer Milk Deliveries, 2005	20
	A-8	Aggregated Component Values by Size-Range of Producer Milk Deliveries, 2005.....	22
Figures:	A-1	Frequency Distribution of Monthly Average Butterfat Levels, Pacific Northwest Order, 2005.....	24
	A-2	Frequency Distribution of Monthly Average Protein Levels, Pacific Northwest Order, 2005.....	24
	A-3	Frequency Distribution of Monthly Average Other Solids Levels, Pacific Northwest Order, 2005	25
	A-4	Frequency Distribution of Monthly Average Butterfat Levels, Arizona-Las Vegas Order, 2005.....	25
	A-5	Scatter Plot of Protein and Butterfat, Pacific Northwest Order, May and November, 2005	26
	A-6	Scatter Plot of Other Solids and Butterfat, Pacific Northwest Order, May and November, 2005.....	27
	A-7	Weighted Average Component Levels by Size-Range of Producer Milk Deliveries, 2005	28
	A-8	Weighted Average Values and Percent of Producer Milk by Size-Range of Producer Milk Deliveries, 2005	29
Maps:	A-1	Marketing Areas of the Pacific Northwest and Arizona-Las Vegas Orders	30
	A-2	Geographic Regions Encompassing the Pacific Northwest and Arizona-Las Vegas Order Milk Sheds, 2005	31

**ANALYSIS OF COMPONENT LEVELS IN INDIVIDUAL
HERD MILK AT THE FARM LEVEL**

**PACIFIC NORTHWEST AND ARIZONA-LAS VEGAS
FEDERAL MILK MARKETING ORDERS**

2005

Chris Werner ^{1/}

I. INTRODUCTION

This study examines milk component levels in milk pooled on the Pacific Northwest (FO 124) and Arizona-Las Vegas (FO 131) Milk Marketing Orders during 2005. The milk components for the Pacific Northwest Order include butterfat, protein, and other solids and butterfat only for the Arizona-Las Vegas Order. Protein and other solids were not included in any analyses concerning the Arizona-Las Vegas Order because they were not used as a basis for pricing milk in 2005, and handlers were not obligated under the order to report information on protein and other solids levels.

Component levels in producer milk pooled on the Pacific Northwest and Arizona-Las Vegas Orders were analyzed to determine average component levels, regional and seasonal variation, and the statistical relationship between components. Producer milk pooled on each order in 2005 was valued using Federal order minimum producer prices for the respective orders.

For 2005, a monthly average total of 905 producers were pooled on the Pacific Northwest and Arizona-Las Vegas Orders. During 2005, these producers delivered 10.0 billion pounds to the two markets.

Beginning January 2000, true protein was used as a basis for pricing milk under the Pacific Northwest Order. Prior to January 2000, crude (Total Nitrogen) protein was used. True protein does not include non-protein nitrogen which is included in crude protein. Due to this change, references to protein levels prior to January 2000 are not directly comparable to protein levels after January 2000 without taking into account the effects of the change in testing for protein. In general, crude protein test levels are about 0.19 percentage points higher than true protein test levels. In a like manner, other solids levels associated with true protein levels are about 0.19 percentage points higher than those associated with crude protein test levels.

During 2005, the Pacific Northwest Order milk shed was comprised of producers located in Washington, Oregon, California, and Idaho. The Arizona-Las Vegas Order milk shed was comprised of producers located in Arizona and California. The milk shed of the two orders includes various geographic and climatic regions. These regions range from very dry climates (Arizona, Central Washington, Southern Idaho, and Eastern Oregon) to very wet climates

^{1/} Chris Werner is an Agricultural Economist with the Market Administrator Office, Bothell, Washington.

(western and coastal regions of Oregon and Washington). Geographically, the Cascade Mountain Range, Pacific Ocean, and Columbia River provide general geographic and climate demarcations that may impact how dairy operations are managed.

II. DATA AND METHODOLOGY

The data included in this study comprises all producer milk pooled on the Pacific Northwest and Arizona-Las Vegas Orders. The data was collected from producer payrolls submitted by handlers to the market administrator's office. Components available for the Pacific Northwest Order were butterfat, protein, and other solids (other solids is nonfat solids less protein). Protein and other solids were not included for the Arizona-Las Vegas Order because they were not used as a basis for pricing milk in 2005, and handlers were not obligated under the order to report information on protein and other solids levels. Up until February 1997, the Pacific Northwest Order did not require handlers to report protein and other solids. Under the previous pricing system, butterfat and nonfat solids were the components used in determining minimum order values. Any reference to 1997 annual averages for protein and other solids for the Pacific Northwest Order does not include data for January 1997.

Eligible producer milk and producers which were **not** pooled were not included in this analysis. Eligible producer milk is Grade A milk production that qualifies to be but is not pooled on the respective order. The exclusion of milk not pooled was due to the unavailability of the information, and it often represented one handler and was, therefore, restricted.

The Pacific Northwest and Arizona-Las Vegas Orders were divided into seven regions. (See Map A-2.) The small number of producers in Northern California pooled on the Pacific Northwest Order made it necessary to combine them with another region (Western Oregon, Region 5). Region 5 has a similar climate and was geographically adjacent to the two California counties. The Arizona and Southern California producers were also combined for reasons of confidentiality. Other than the identified exceptions, order and/or state lines were considered as primary boundaries. The regions within states were defined based on climate conditions and geography. The regions are as follows: Western Washington (Region 1), Central Washington (Region 2), Eastern Washington (Region 3), Northern Idaho (Region 4), Western Oregon and Northern California (Region 5), Central/Eastern Oregon and Southern Idaho (Region 6), Arizona and Southern California (Region 7).

In Oregon and Washington, the west side of the Cascade Mountain Range has more precipitation and is characterized by a milder climate than the eastern side of the states¹. The region east of the Cascade Mountain Range has a drier climate with warmer summers and colder winters. In Eastern Washington, the precipitation rate begins to increase slightly. Idaho was split into Northern and Southern Idaho. Northern Idaho is wetter and more mountainous compared to Southern Idaho. Arizona is very dry year round with much less precipitation and many days with average temperatures much higher than the other regions studied.

¹ Climate information based on Western Regional Climate Center precipitation maps.

Ordinary Least Squares regression analysis was used to determine relationships between components.

Monthly Federal order minimum producer prices specific to the Pacific Northwest and Arizona-Las Vegas Orders were used in the determination of the value of milk production.

III. SEASONAL VARIATION IN MILK COMPONENT LEVELS

In 2005, producers associated with the Pacific Northwest Order delivered 7.0 billion pounds. For 2005, producer milk tested, on average, 3.67% butterfat, 3.05% protein, and 5.71% other solids.

In the Pacific Northwest Order, producer milk butterfat percentages decrease in the spring and increases in the fall and winter. Table 1 shows the monthly and annual average component levels for the Pacific Northwest Order. Milk production per cow typically is less, and animals are fed more stored feed in the fall and winter. In the spring, during the flush of milk production, the feeding of more fresh grass increases the total pounds produced but decreases the percentage butterfat and protein content of milk. The spring flush is additionally impacted by the biological cycle of cows and the increase in temperature in the spring. Butterfat levels in the Pacific Northwest Order in 2005 were the highest in December at 3.85% and lowest in July at 3.56%.

The seasonal cycle of protein levels is similar to butterfat but with a lesser degree of variation. Protein levels in 2005 were highest in November at 3.15% and lowest in July at 2.97%. Other solids levels were much more consistent throughout the year when compared to the seasonal

Table 1 Monthly Component Levels Pacific Northwest Order 2005			
Month	Butterfat - percent -	Protein - percent -	Other Solids - percent -
January	3.74	3.09	5.69
February *	3.67	3.06	5.71
March *	3.63	3.03	5.71
April *	3.64	3.02	5.71
May	3.58	2.99	5.71
June	3.58	2.99	5.73
July	3.56	2.97	5.73
August	3.58	2.98	5.72
September	3.67	3.07	5.70
October	3.74	3.11	5.69
November	3.82	3.15	5.68
December	3.85	3.14	5.69
Weighted Average	3.67	3.05	5.71

Table 2
Monthly Component Levels
Arizona-Las Vegas Order
2005

Month	Butterfat - percent -
January	3.68
February	3.64
March	3.62
April	3.52
May	3.53
June	3.52
July	3.53
August	3.51
September	3.56
October	3.60
November	3.68
December	3.70
Weighted Average	3.59

* Eligible milk not pooled.

changes in butterfat and protein levels. Other solids levels reached a peak of 5.73% in June and July, a low of 5.68% in November, and showed very little seasonality.

In 2005, producers associated with the Arizona-Las Vegas Order delivered 2.9 billion pounds. For 2005, producer milk tested, on average, 3.59% butterfat. Butterfat levels in the Arizona-Las Vegas Order follow a similar seasonal pattern as the Pacific Northwest Order. The butterfat levels decrease in the spring and rise again in the fall. (See Table 2 above.) Butterfat levels in the Arizona-Las Vegas Order in 2005 were highest in December at 3.70% and lowest in August at 3.51%.

For 2005, the monthly and annual weighted average butterfat and protein levels were less than the mean averages for both components. (See Tables 3 and 4 and Appendix Tables A-1 and A-2.) This difference in relative levels of the weighted average and the mean would indicate that individual producers who deliver smaller amounts of milk (on a monthly basis) have higher levels of these components in their milk than their larger counterparts. Conversely, on the Pacific Northwest Order, the other solids weighted average is higher than the mean, indicating that producers who deliver larger amounts of milk have higher levels of other solids in their milk than their smaller counterparts.

During 2005, for the Pacific Northwest Order, producers' individual monthly average butterfat tests ranged from 2.36% to 5.57%; protein tests ranged from 2.55% to 4.14%, and other solids levels ranged from 4.23% to 5.95%. (See Table 3.) Most monthly average component tests are

within one standard deviation of the mean². Based on the definition of a standard deviation, most producers had butterfat tests ranging from 3.43% to 4.17%. Similarly, most protein tests ranged from 2.90% to 3.30%, and most other solids tests ranged from 5.57% to 5.77%. (See Appendix Table A-1 for monthly component statistics.)

In 2005, Arizona-Las Vegas Order producer's butterfat tests ranged from 2.62% to 4.92%. (See Table 4.) Based on the definition of a standard deviation, most producers had butterfat tests ranging from 3.30% to 3.99%. (See Appendix Table A-2 for monthly component statistics.)

Table 3			
Component Levels: Weighted Average, Mean, Median, Standard Deviation, Minimum, and Maximum			
Pacific Northwest Order			
2005			
	Butterfat	Protein	Other Solids
	%	%	%
Weighted Average	3.67	3.05	5.71
Mean	3.80	3.10	5.67
Median	3.72	3.06	5.69
Standard Deviation	0.37	0.20	0.10
Minimum	2.36	2.55	4.23
Maximum	5.57	4.14	5.95

Table 4	
Component Levels: Weighted Average, Mean, Median, Standard Deviation, Minimum, and Maximum	
Arizona-Las Vegas Order	
2005	
	Butterfat
	%
Weighted Average	3.59
Mean	3.63
Median	3.58
Standard Deviation	0.33
Minimum	2.62
Maximum	4.92

IV. REGIONAL VARIATION IN MILK COMPONENT LEVELS

Differences in climate, breeds of cattle, common management practices, feeds, and other characteristics of dairy operations can reveal varying milk component levels on a geographic basis. The data was divided into seven regions based on the geographic location of the dairy

² By definition, for a *normal distribution*, approximately 68% of observations are within one standard deviation of the mean.

farms. The seven regions are primarily based on a combination of relatively homogeneous climates and state and Federal order borders. Producer milk was aggregated based on the location where it was produced, not by what order it was pooled on.

Regions 1 through 6 are associated with the Pacific Northwest region and are defined in Appendix Map A-2. Table 5, below, provides 2005 milk production, average number of producers, and component tests for each region. In 2005, the region with the most milk associated with the Pacific Northwest Order was Region 1 followed by Regions 2, 5, 6, 3, and 4. With the exception of Regions 4 and 5, component levels for each region appear to vary only slightly.

Table 5			
Various Statistics by Region For 2005			
Region 1 (Western Washington)		Region 2 (Central Washington)	
Milk Production	2,617,310,106	Milk Production	2,117,339,667
Average Number of Producers	385	Average Number of Producers	92
Average Pounds Per Producer	567,131	Average Pounds Per Producer	1,914,412
Butterfat Test	3.65%	Butterfat Test	3.60%
Protein Test	3.03%	Protein Test	3.02%
Other Solids Test	5.69%	Other Solids Test	5.70%
Region 3 (Eastern Washington)		Region 4 (Northern Idaho)	
Milk Production	406,560,289	Milk Production	15,241,045
Average Number of Producers	46	Average Number of Producers	9
Average Pounds Per Producer	739,201	Average Pounds Per Producer	141,121
Butterfat Test	3.66%	Butterfat Test	3.87%
Protein Test	3.06%	Protein Test	3.13%
Other Solids Test	5.71%	Other Solids Test	5.69%
Region 5 (Western Oregon, Northern California)		Region 6 (Central/Eastern Oregon, Southern Idaho)	
Milk Production	1,300,111,023	Milk Production	582,314,703
Average Number of Producers	224	Average Number of Producers	62
Average Pounds Per Producer	483,313	Average Pounds Per Producer	787,977
Butterfat Test	3.82%	Butterfat Test	3.67%
Protein Test	3.13%	Protein Test	3.05%
Other Solids Test	5.73%	Other Solids Test	5.72%
Region 7 (Arizona/Southern California)			
Milk Production	2,947,498,446		
Average Number of Producers	87		
Average Pounds Per Producer	2,812,499		
Butterfat Test	3.59%		
Protein Test	n/a		
Other Solids Test	n/a		

n/a = not applicable

Region 7 represents the Arizona-Las Vegas Order. In general, comparing all the regions, Region 7 had the most milk pooled in 2005, with 2.9 billion pounds, while Region 1 had the most producers (385 producers on average). Average milk production per producer was the highest in Region 7 with an average of 2.8 million pounds per producer for the year. The highest butterfat levels in 2005 were in Region 4 with annual tests of 3.87%, while Region 7 had the lowest annual butterfat test of 3.59%. Protein levels in Regions 4 and 5 (3.13%) and other solids levels in Region 5 (5.73%) were the highest for each of those components.

Producer milk, number of producers, and average milk production per producer varied greatly between regions. Some differences in component levels were also evident. In 2005, butterfat levels in Regions 4 and 5 were noticeably higher than the other regions, while Regions 2 and 7 were much lower than the other regions. Protein levels in Regions 4 and 5 were 0.11% higher than Region 2. Other solids levels by region varied only 0.04% between the high and low for the year 2005.

Changes in producer numbers and milk marketed between October 2004 and October 2005 followed the national trend of increased milk production by fewer producers. The month of October was used for the comparison since both months did not have eligible milk not pooled. Although October is a representative month, this comparison shows effects of handlers' decisions and changes in Federal Order regulations between 2004 and 2005. On a regional basis, the movement of milk production in Washington State from Western Washington to Central Washington continued. Region 2, Central Washington, increased in milk production by 21.1 million pounds between October of 2005 and 2004, with the same number of producers. Region 1, Western Washington, decreased by 1.7 million pounds of milk and decreased by 24 producers. (See Table 6.) For Regions 6 and 7, changes in producer numbers and producer milk are a result of handler pooling decisions and not indicative of the growth in those areas. Regions 3 and 5 showed slight decreases in producer numbers and increases in producer milk, consistent with the national trend of decreasing dairy farm numbers but more production per farm. Region 5, Western Oregon, faces many of the same environmental issues and urban encroachment

**Table 6
Producer Milk and Producers by Region for October 2005 and 2004**

	Producer Milk			Producers		
	October 2005	October 2004	Change	October 2005	October 2004	Change
Region 1	213,013,930	214,670,879	-1,656,949	384	408	-24
Region 2	201,685,516	180,545,817	21,139,699	101	101	0
Region 3	33,503,470	32,944,489	558,981	46	48	-2
Region 4	1,215,327	1,275,130	-59,803	9	10	-1
Region 5	118,396,915	117,542,665	854,250	261	267	-6
Region 6	57,911,091	70,228,044	-12,316,953	72	55	17
Region 7	233,004,093	230,687,234	2,316,859	86	92	-6
Total	858,730,342	847,894,258	10,836,084	959	981	-22

problems as Region 1, Western Washington, but was able to maintain production levels with the loss of fewer producers. Region 4 was down one producer and down slightly on producer milk.

V. STATISTICAL RELATIONSHIP AMONG MILK COMPONENTS

Regression analysis was used to analyze the linear relationship between milk component levels. The analysis revealed that the only significant relationship between components was between butterfat (BF) and protein (PRO). Regressions of nonfat solids and protein and nonfat solids and butterfat were found to be insignificant and not included in this study. This latter finding was expected and is due to: (1) nonfat solids, by definition, is protein plus other solids; and (2) other solids levels appear random and show little seasonal variation. (See Appendix Tables A-4 and A-5 and Figures A-5 and A-6.)

The Pacific Northwest Order had 9,808 observations in 2005. This year's regressions are similar to other Federal order publications³. Appendix Figures A-5 and A-6 show graphical representations of the linear regressions for May and November 2005.

The butterfat and protein regression equations for the Pacific Northwest Order were calculated for 2000 through 2005. (See Table 7 below.) Over the 2000 - 2005 periods, the general trend of the regression is toward a lower intercept but a steeper slope. This would suggest that, in general, a change in the butterfat level is associated with a larger change in the protein level in 2004 and 2005 compared to previous years.

Table 7
Pacific Northwest Order
Comparison of Regression Results: Butterfat Level as a Predictor of Protein Levels
2000 through 2005

<u>Year</u>	<u>Equation</u>	<u>Correlation</u>
2000	TRUE PRO% = 1.526 + 0.414 BF%	R ² = 0.600
2001	TRUE PRO% = 1.535 + 0.417 BF%	R ² = 0.599
2002	TRUE PRO% = 1.488 + 0.426 BF%	R ² = 0.649
2003	TRUE PRO% = 1.452 + 0.432 BF%	R ² = 0.661
2004	TRUE PRO% = 1.434 + 0.439 BF%	R ² = 0.652
2005	TRUE PRO% = 1.438 + 0.438 BF%	R ² = 0.663

VI. MINIMUM ORDER VALUE OF MILK PRODUCTION

The use of monthly component prices allows for the evaluation of the minimum order value of milk components in a hundredweight of milk.

³ See *Analysis of Component Levels and Somatic Cell Count in Individual Herd Milk at the Farm Level, 2003*, Upper Midwest Marketing Area, Staff paper 06-01, April 2006.

The minimum order value at test of producer milk pooled on the Pacific Northwest Order in 2005 averaged \$14.63 per hundredweight. The weighted average value of each component comprising the \$14.63 per hundredweight was: \$6.27 for butterfat; \$7.45 for protein; \$0.71 for other solids; and a producer price differential of \$0.19.⁴

The value of producers' milk at test pooled on the Arizona-Las Vegas Order in 2005 averaged \$14.80 per hundredweight. The weighted average value of skim and butterfat portions of the \$14.80 per hundredweight was: \$6.18 for butterfat; and \$8.62 for skim.⁵

There is an apparent inverse relationship between the size-range of producers' production and the butterfat and protein levels in their milk. An inverse relationship between size-range and certain component levels may be due to the relative prevalence of high component testing breeds among smaller herd sizes (e.g. Jerseys) compared to lower component testing breeds (e.g. Holsteins). The weighted average component levels by size-range of milk production are summarized in Appendix Table A-7 and Figure A-7. The inverse relationship between size-range and producer butterfat and protein levels is more apparent on the Pacific Northwest Order than in the levels of butterfat on the Arizona-Las Vegas Order. On the Pacific Northwest Order, there appears to be a positive relationship between the size-range of a producers' production and the other solids levels in their milk. The difference in component levels, in turn, translates to an inverse relationship between size-range and minimum order value per hundredweight.

The aggregated value of milk production by size-range of milk production is summarized in Appendix Table A-8 and Figure A-8. For the Pacific Northwest Order, on average, using 2005 Federal order prices, producers with less than 50,000 pounds of production was valued more per hundredweight, \$15.53, than other producers. Producers with more than six million pounds of production averaged the lowest amount per hundredweight, at \$14.28. This relationship is generally indicative of the fact that smaller herds typically have higher component levels than larger herds. On the Arizona-Las Vegas Order, using skim-butterfat values, a relationship between size-range and value per hundredweight was less evident. The Arizona-Las Vegas Order data was broken down further for producers over one million pounds into smaller increments (e.g. 4-5 million pounds, 5-6 million pounds, 6-7 million pounds) to determine whether the size-range categories used masked any relationships. Using smaller increments does not indicate producers pooled on the Arizona-Las Vegas Order who have more milk deliveries have a lower value of milk per hundredweight.

VII. SUMMARY

This paper analyzes milk components associated with the Pacific Northwest and Arizona-Las Vegas Orders. Handlers regulated under the Pacific Northwest Order report butterfat, protein, and other solids. Handlers regulated under the Arizona-Las Vegas Order report butterfat, only. For each order, producer information was collected from handler payrolls submitted to the

⁴ The producer price differentials for the Pacific Northwest Order are subject to applicable location adjustments. The effects of the location adjustments are not dealt with in this study. Values do not add to \$14.63 due to rounding.

⁵ The producer prices for the Arizona-Las Vegas Order are subject to applicable location adjustments. The effects of the location adjustment are not dealt with in this study.

market administrator's office. Component levels were examined using a variety of measures including: annual averages, seasonal and regional averages, relationships between components, frequency distributions and scatter plots of regressions, and the value of milk components by size-range of production.

Weighted average component levels for the Pacific Northwest Order in 2005 were: 3.67% butterfat, 3.05% protein, and 5.71% other solids. Butterfat percentages peaked in December and reached a low in July. Protein percentages peaked in November and reached a low in July. Other solids demonstrated very little seasonal change.

Although the volume of producer milk, number of producers, and average milk production per producer varies greatly between regions, there are only small differences in aggregate component levels between geographic regions within the milk sheds of the two orders.

The linear relationship between butterfat and protein on the Pacific Northwest Order was:

$$\text{Protein} = 1.4378 + 0.4383 * \text{Butterfat} \quad (R^2 = 0.6632)$$

In 2005, the Pacific Northwest Order's weighted average price received for milk was \$14.63 per hundredweight, at test.

The annual average butterfat level for the Arizona-Las Vegas Order in 2005 was 3.59%. Butterfat levels peaked in December and reached a low in August. In 2005, the Federal order weighted average price received for milk was \$14.80 per hundredweight, at test.

In general, as producers' monthly deliveries increase, the weighted average value of the milk, at Federal order prices, decreases.

APPENDIX

Table A-1

**STATISTICAL DATA FOR PRODUCERS ON THE
PACIFIC NORTHWEST ORDER INCLUDED IN COMPONENT ANALYSIS**

2005

Butterfat

<u>Month</u>	<u>Weighted Average</u> - % -	<u>Mean</u> - % -	<u>Standard Deviation</u> - % -	<u>Median</u> - % -	<u>Minimum</u> - % -	<u>Maximum</u> - % -	<u>Number of Observations</u>
January	3.74	3.88	0.38	3.78	3.07	5.47	866
February	3.67	3.78	0.35	3.71	2.90	5.57	665
March	3.63	3.74	0.33	3.68	2.86	5.30	717
April	3.64	3.74	0.33	3.67	2.92	5.38	673
May	3.58	3.70	0.35	3.62	2.81	5.25	855
June	3.58	3.68	0.34	3.60	2.58	5.16	851
July	3.56	3.66	0.33	3.58	2.56	5.10	881
August	3.58	3.69	0.34	3.61	2.36	5.15	865
September	3.67	3.82	0.36	3.72	2.68	5.16	862
October	3.74	3.90	0.38	3.80	2.72	5.33	873
November	3.82	3.98	0.39	3.88	2.89	5.52	857
December	3.85	4.00	0.39	3.91	3.09	5.37	843
For the Year	3.67	3.80	0.37	3.72	2.36	5.57	9,808

Protein

<u>Month</u>	<u>Weighted Average</u> - % -	<u>Mean</u> - % -	<u>Standard Deviation</u> - % -	<u>Median</u> - % -	<u>Minimum</u> - % -	<u>Maximum</u> - % -	<u>Number of Observations</u>
January	3.09	3.15	0.20	3.09	2.71	4.12	866
February	3.06	3.10	0.19	3.05	2.73	3.82	665
March	3.03	3.07	0.18	3.04	2.69	3.87	717
April	3.02	3.06	0.18	3.02	2.63	3.83	673
May	2.99	3.05	0.19	3.00	2.59	3.79	855
June	2.99	3.05	0.19	3.00	2.57	3.78	851
July	2.97	3.03	0.18	2.99	2.55	3.80	881
August	2.98	3.04	0.19	2.99	2.55	3.77	865
September	3.07	3.13	0.19	3.08	2.60	3.84	862
October	3.11	3.17	0.20	3.12	2.72	4.01	873
November	3.15	3.20	0.20	3.15	2.71	4.14	857
December	3.14	3.19	0.21	3.14	2.70	3.93	843
For the Year	3.05	3.10	0.20	3.06	2.55	4.14	9,808

Table A-1 (Continued)

STATISTICAL DATA FOR PRODUCERS ON THE
PACIFIC NORTHWEST ORDER INCLUDED IN COMPONENT ANALYSIS

2005

<u>Month</u>	Other Solids						<u>Number of Observations</u>
	<u>Weighted Average</u>	<u>Mean</u>	<u>Standard Deviation</u>	<u>Median</u>	<u>Minimum</u>	<u>Maximum</u>	
	- % -	- % -	- % -	- % -	- % -	- % -	
January	5.69	5.66	0.11	5.68	4.23	5.87	866
February	5.71	5.67	0.10	5.69	4.97	5.94	665
March	5.71	5.69	0.09	5.70	5.22	5.93	717
April	5.71	5.69	0.09	5.70	5.23	5.91	673
May	5.71	5.69	0.09	5.70	5.19	5.90	855
June	5.73	5.70	0.09	5.71	5.04	5.95	851
July	5.73	5.70	0.10	5.71	4.88	5.95	881
August	5.72	5.69	0.09	5.71	5.27	5.90	865
September	5.70	5.67	0.10	5.69	5.17	5.88	862
October	5.69	5.65	0.10	5.68	5.03	5.87	873
November	5.68	5.65	0.10	5.67	5.07	5.86	857
December	5.69	5.66	0.10	5.68	4.95	5.90	843
For the Year	5.71	5.67	0.10	5.69	4.23	5.95	9,808

Table A-2

STATISTICAL DATA FOR PRODUCERS ON THE
ARIZONA-LAS VEGAS ORDER INCLUDED IN COMPONENT ANALYSIS

2005

<u>Month</u>	Butterfat						<u>Number of Observations</u>
	<u>Weighted Average</u>	<u>Mean</u>	<u>Standard Deviation</u>	<u>Median</u>	<u>Minimum</u>	<u>Maximum</u>	
	- % -	- % -	- % -	- % -	- % -	- % -	
January	3.68	3.75	0.33	3.68	3.14	4.90	89
February	3.64	3.68	0.33	3.62	3.02	4.92	89
March	3.62	3.66	0.34	3.60	2.91	4.75	91
April	3.52	3.56	0.33	3.51	2.72	4.56	90
May	3.53	3.54	0.33	3.50	2.85	4.64	88
June	3.52	3.52	0.34	3.47	2.62	4.64	87
July	3.53	3.54	0.32	3.51	2.72	4.63	86
August	3.51	3.54	0.29	3.48	2.77	4.55	85
September	3.56	3.58	0.29	3.55	2.83	4.62	85
October	3.60	3.66	0.30	3.58	3.13	4.61	86
November	3.68	3.74	0.30	3.67	3.24	4.71	86
December	3.70	3.77	0.33	3.68	3.19	4.81	86
For the Year	3.59	3.63	0.33	3.58	2.62	4.92	1,048

Table A-3

**WEIGHTED AVERAGE COMPONENT LEVELS BY REGION
2005**

Butterfat

	<u>Region 1</u>	<u>No.*</u>	<u>Region 2</u>	<u>No.*</u>	<u>Region 3</u>	<u>No.*</u>	<u>Region 4</u>	<u>No.*</u>
	-% -		-% -		-% -		-% -	
January	3.68	394	3.71	100	3.75	47	3.87	9
February	3.64	387	3.69	49	3.68	46	3.82	9
March	3.63	388	3.60	99	3.66	47	3.81	9
April	3.63	388	3.60	56	3.64	47	3.83	9
May	3.55	387	3.49	99	3.56	46	3.74	9
June	3.56	388	3.49	99	3.56	46	3.76	9
July	3.56	385	3.49	99	3.54	46	3.73	9
August	3.58	384	3.50	100	3.55	46	3.79	9
September	3.67	382	3.57	100	3.64	46	3.95	9
October	3.73	384	3.65	101	3.70	46	4.03	9
November	3.79	379	3.74	102	3.82	44	4.14	9
December	3.80	369	3.79	102	3.86	43	4.07	9
For the Year	3.65	385	3.60	92	3.66	46	3.87	9
	<u>Region 5</u>	<u>No.*</u>	<u>Region 6</u>	<u>No.*</u>	<u>Region 7</u>	<u>No.*</u>		
	-% -		-% -		-% -			
January	3.89	265	3.80	51	3.68	89		
February	3.70	123	3.72	51	3.64	89		
March	3.67	123	3.69	51	3.62	91		
April	3.70	123	3.68	50	3.52	90		
May	3.78	263	3.61	51	3.53	88		
June	3.74	264	3.57	45	3.52	87		
July	3.73	267	3.46	75	3.53	86		
August	3.77	252	3.51	74	3.51	85		
September	3.88	251	3.61	74	3.56	85		
October	3.93	261	3.75	72	3.60	86		
November	3.99	250	3.84	73	3.68	86		
December	4.01	248	3.88	72	3.70	86		
For the Year	3.82	224	3.67	62	3.59	87		

Table A-3 (Continued)

**WEIGHTED AVERAGE COMPONENT LEVELS BY REGION
2005**

Protein

	<u>Region 1</u>	<u>No.*</u>	<u>Region 2</u>	<u>No.*</u>	<u>Region 3</u>	<u>No.*</u>	<u>Region 4</u>	<u>No.*</u>
	-% -		-% -		-% -		-% -	
January	3.06	394	3.07	100	3.11	47	3.19	9
February	3.03	387	3.05	49	3.08	46	3.16	9
March	3.02	388	3.01	99	3.05	47	3.11	9
April	3.01	388	2.99	56	3.03	47	3.11	9
May	2.97	387	2.94	99	2.99	46	3.09	9
June	2.98	388	2.95	99	3.00	46	3.07	9
July	2.97	385	2.93	99	2.98	46	3.03	9
August	2.98	384	2.93	100	2.98	46	3.06	9
September	3.06	382	3.02	100	3.08	46	3.16	9
October	3.10	384	3.07	101	3.12	46	3.21	9
November	3.13	379	3.13	102	3.16	44	3.22	9
December	3.10	369	3.13	102	3.16	43	3.20	9
For the Year	3.03	385	3.02	92	3.06	46	3.13	9
	<u>Region 5</u>	<u>No.*</u>	<u>Region 6</u>	<u>No.*</u>	<u>Region 7</u>	<u>No.*</u>		
	-% -		-% -		-% -			
January	3.17	265	3.11	51	N/A	N/A		
February	3.11	123	3.07	51	N/A	N/A		
March	3.08	123	3.05	51	N/A	N/A		
April	3.07	123	3.04	50	N/A	N/A		
May	3.09	263	3.00	51	N/A	N/A		
June	3.09	264	3.02	45	N/A	N/A		
July	3.07	267	2.92	75	N/A	N/A		
August	3.10	252	2.93	74	N/A	N/A		
September	3.16	251	3.05	74	N/A	N/A		
October	3.19	261	3.10	72	N/A	N/A		
November	3.21	250	3.16	73	N/A	N/A		
December	3.20	248	3.15	72	N/A	N/A		
For the Year	3.13	224	3.05	62	N/A	N/A		

Table A-3 (Continued)

**WEIGHTED AVERAGE COMPONENT LEVELS BY REGION
2005**

Other Solids

	<u>Region 1</u>	<u>No.*</u>	<u>Region 2</u>	<u>No.*</u>	<u>Region 3</u>	<u>No.*</u>	<u>Region 4</u>	<u>No.*</u>
	-% -		-% -		-% -		-% -	
January	5.68	394	5.68	100	5.69	47	5.68	9
February	5.70	387	5.71	49	5.71	46	5.69	9
March	5.71	388	5.71	99	5.71	47	5.70	9
April	5.71	388	5.71	56	5.71	47	5.70	9
May	5.69	387	5.70	99	5.70	46	5.70	9
June	5.71	388	5.72	99	5.73	46	5.72	9
July	5.71	385	5.72	99	5.73	46	5.71	9
August	5.70	384	5.72	100	5.72	46	5.71	9
September	5.69	382	5.70	100	5.71	46	5.67	9
October	5.67	384	5.68	101	5.69	46	5.65	9
November	5.67	379	5.67	102	5.68	44	5.64	9
December	5.69	369	5.68	102	5.68	43	5.65	9
For the Year	5.69	385	5.70	92	5.71	46	5.69	9
	<u>Region 5</u>	<u>No.*</u>	<u>Region 6</u>	<u>No.*</u>	<u>Region 7</u>	<u>No.*</u>		
	-% -		-% -		-% -			
January	5.72	265	5.70	51	N/A	N/A		
February	5.74	123	5.72	51	N/A	N/A		
March	5.75	123	5.73	51	N/A	N/A		
April	5.74	123	5.72	50	N/A	N/A		
May	5.75	263	5.73	51	N/A	N/A		
June	5.75	264	5.77	45	N/A	N/A		
July	5.75	267	5.74	75	N/A	N/A		
August	5.74	252	5.73	74	N/A	N/A		
September	5.73	251	5.71	74	N/A	N/A		
October	5.71	261	5.69	72	N/A	N/A		
November	5.72	250	5.68	73	N/A	N/A		
December	5.72	248	5.70	72	N/A	N/A		
For the Year	5.73	224	5.72	62	N/A	N/A		

* Number of producers included in monthly average component level.

N/A = not applicable, Arizona-Las Vegas Order, Area 7, did not use protein and other solids.

Table A-4

**LINEAR RELATIONSHIPS BETWEEN VARIOUS MILK COMPONENTS
2005**

**Butterfat Levels as a Predictor of Protein
Protein = c + b (Butterfat)**

Pacific Northwest Order

	<u>c</u>	<u>b</u>	<u>Standard</u>	<u>R-Squared</u>	<u>Standard</u>	<u>Number of</u>
	<u>Constant</u>	<u>Butterfat</u>	<u>Error of b</u>	<u>(Adjusted)</u>	<u>Error</u>	<u>Comparisons</u>
January	1.43916	0.43952	0.01035	0.67567	0.11478	866
February	1.52911	0.41426	0.01275	0.61378	0.11510	665
March	1.52870	0.41211	0.01336	0.57047	0.11658	717
April	1.57305	0.39766	0.01424	0.53666	0.12226	673
May	1.40551	0.44474	0.01152	0.63544	0.11773	855
June	1.40857	0.44493	0.01180	0.62552	0.11589	851
July	1.40723	0.44281	0.01160	0.62329	0.11301	881
August	1.40484	0.44236	0.01085	0.65798	0.10903	865
September	1.50990	0.42335	0.01031	0.66194	0.10944	862
October	1.51622	0.42409	0.01040	0.65587	0.11592	873
November	1.50168	0.42720	0.01061	0.65439	0.11961	857
December	1.48975	0.42509	0.01105	0.63714	0.12452	843
For the Year	1.43782	0.43827	0.00315	0.66317	0.11690	9,808

Table A-5

LINEAR RELATIONSHIPS BETWEEN VARIOUS MILK COMPONENTS
2005

Butterfat Levels as a Predictor of Other Solids
Other Solids = c + b (Butterfat)

Pacific Northwest Order

	<u>c</u>	<u>b</u>	<u>Standard</u>	<u>R-Squared</u>	<u>Standard</u>	<u>Number of</u>
	<u>Constant</u>	<u>Butterfat</u>	<u>Error of b</u>	<u>(Adjusted)</u>	<u>Error</u>	<u>Comparisons</u>
January	5.93103	-0.07011	0.00960	0.05703	0.10649	866
February	6.10050	-0.11345	0.01066	0.14467	0.09624	665
March	6.01002	-0.08607	0.00968	0.09824	0.08452	717
April	5.98856	-0.08082	0.00965	0.09338	0.08278	673
May	5.76152	-0.02037	0.00859	0.00538	0.08780	855
June	5.80379	-0.02846	0.00953	0.00924	0.09353	851
July	5.75395	-0.01598	0.00987	0.00184	0.09614	881
August	5.79963	-0.02974	0.00854	0.01271	0.08585	865
September	5.88152	-0.05611	0.00917	0.04061	0.09735	862
October	5.92826	-0.07139	0.00900	0.06635	0.10028	873
November	5.97880	-0.08345	0.00878	0.09454	0.09898	857
December	6.07192	-0.10303	0.00851	0.14730	0.09593	843
For the Year	5.94417	-0.07097	0.00258	0.07167	0.09553	9,808

Table A-6

**MONTHLY PRODUCER COMPONENT PRICES
2005**

<u>Month</u>	Pacific Northwest Order			
	Butterfat	Protein	Other Solids	Producer Price
	<u>Price</u> \$ / pound	<u>Price</u> \$ / pound	<u>Price</u> \$ / pound	<u>Differential 1/</u> \$ / hundredweight
January	1.7330	2.5300	0.0899	0.59
February	1.7754	2.6613	0.0915	(0.66)
March	1.7279	2.5019	0.0951	0.51
April	1.6964	2.7055	0.1020	(0.49)
May	1.5475	2.5965	0.1043	0.21
June	1.5932	2.5741	0.1139	(0.11)
July	1.8007	2.4558	0.1240	0.03
August	1.8246	2.1619	0.1317	0.78
September	1.8872	2.3009	0.1411	0.20
October	1.8256	2.3780	0.1491	0.11
November	1.6114	2.2724	0.1606	0.56
December	1.5036	2.3846	0.1702	0.07
Simple Average	1.7105	2.4602	0.1228	0.15

1/ The producer price differentials for the Pacific Northwest Order are subject to applicable location adjustments. The effects of the location adjustments are not dealt with in this study.

<u>Month</u>	Arizona-Las Vegas Order	
	Skim	Butterfat
	<u>Price 2/</u> \$ / hundredweight	<u>Price 2/</u> \$ / pound
January	9.12	1.7977
February	8.82	1.7755
March	9.09	1.7396
April	8.92	1.7086
May	9.00	1.5784
June	8.94	1.5885
July	9.03	1.7648
August	8.74	1.8347
September	8.77	1.8728
October	8.89	1.8425
November	9.00	1.6613
December	8.92	1.5392
Simple Average	8.94	1.7253

2/ The producer prices for the Arizona-Las Vegas Order are subject to applicable location adjustments. The effects of the location adjustments are not dealt with in this study.

Table A-7

**AGGREGATED COMPONENT TESTS BY SIZE-RANGE
PRODUCER MILK DELIVERIES
2005**

(See Figure A-7)

Pacific Northwest Order

<u>Size Range</u>		<u>Butterfat</u> - % -	<u>Protein</u> - % -	<u>Other Solids</u> - % -
<u>Equal to or more than</u> - pounds -	<u>Less than</u> - pounds -			
	50,000	4.02	3.19	5.56
50,000	100,000	3.93	3.17	5.62
100,000	200,000	3.87	3.14	5.65
200,000	300,000	3.86	3.14	5.67
300,000	400,000	3.81	3.11	5.69
400,000	500,000	3.79	3.08	5.70
500,000	600,000	3.76	3.09	5.71
600,000	700,000	3.73	3.07	5.70
700,000	1,000,000	3.68	3.04	5.72
1,000,000	2,000,000	3.66	3.05	5.72
2,000,000	3,000,000	3.60	3.02	5.72
3,000,000	4,000,000	3.59	3.02	5.72
4,000,000	6,000,000	3.60	3.01	5.68
6,000,000		3.54	3.00	5.71
Weighted Average		3.67	3.05	5.71

Table A-7 (Continued)

**AGGREGATED COMPONENT TESTS BY SIZE-RANGE
PRODUCER MILK DELIVERIES
2005**

(See Figure A-7)

Arizona-Las Vegas Order

<u>Size Range</u>		<u>Butterfat</u> - % -
<u>Equal to or more than</u> - pounds -	<u>Less than</u> - pounds -	
	100,000	3.65
100,000	200,000	4.14
200,000	300,000	3.53
300,000	400,000	3.66
400,000	500,000	3.45
500,000	600,000	3.28
600,000	700,000	3.43
700,000	1,000,000	3.65
1,000,000	2,000,000	3.69
2,000,000	3,000,000	3.66
3,000,000	4,000,000	3.56
4,000,000	5,000,000	3.73
5,000,000	6,000,000	3.55
6,000,000	7,000,000	3.56
7,000,000		3.47
Weighted Average		3.59

Table A-8

**AGGREGATED COMPONENT VALUES BY SIZE-RANGE
PRODUCER MILK DELIVERIES
2005**

(See Figure A-8)

Pacific Northwest Order

<u>Size Range</u>		<u>Aggregated Component Values*</u> - dollars -	<u>Producer Milk</u> - pounds -	<u>Percent of Producer Milk</u> - % -	<u>Weighted Average Value</u> - dollars/cwt. -
<u>Equal to or more than</u> - pounds -	<u>Less than</u> - pounds -				
	50,000	\$ 2,654,082.11	17,090,046	0.24%	15.53
50,000	100,000	10,174,274.76	66,288,116	0.94%	15.35
100,000	200,000	40,142,024.76	264,439,948	3.76%	15.18
200,000	300,000	49,901,008.79	329,119,044	4.68%	15.16
300,000	400,000	41,079,441.55	273,472,385	3.89%	15.02
400,000	500,000	41,600,667.01	279,190,166	3.97%	14.90
500,000	600,000	44,971,443.87	301,928,344	4.29%	14.89
600,000	700,000	41,360,798.32	279,868,801	3.98%	14.78
700,000	1,000,000	116,144,338.17	793,496,472	11.27%	14.64
1,000,000	2,000,000	252,841,632.30	1,729,977,127	24.58%	14.62
2,000,000	3,000,000	137,026,724.72	950,078,863	13.50%	14.42
3,000,000	4,000,000	67,627,302.18	468,135,261	6.65%	14.45
4,000,000	6,000,000	58,256,193.59	404,471,766	5.75%	14.40
6,000,000		125,895,533.26	881,320,494	12.52%	14.28
Total/Weighted Average		\$ 1,029,675,465.39	7,038,876,833	100.00%	14.63

Table A-8 (Continued)

**AGGREGATED COMPONENT VALUES BY SIZE-RANGE
PRODUCER MILK DELIVERIES
2005**

(See Figure A-8)

Arizona-Las Vegas Order

<u>Size Range</u>		<u>Aggregated Component Values*</u>	<u>Producer Milk</u>	<u>Percent of Producer Milk</u>	<u>Weighted Average Value</u>
<u>Equal to or more than</u>	<u>Less than</u>				
- pounds -	- pounds -	- dollars -	- pounds -	- % -	- dollars/cwt. -
	100,000	\$ 96,303.62	648,370	0.02%	14.85
100,000	200,000	487,775.33	3,105,376	0.11%	15.71
200,000	300,000	988,177.98	6,701,230	0.23%	14.75
300,000	400,000	657,901.66	4,432,773	0.15%	14.84
400,000	500,000	860,005.65	5,876,912	0.20%	14.63
500,000	600,000	1,841,542.15	12,786,314	0.43%	14.40
600,000	700,000	2,358,696.03	16,245,349	0.55%	14.52
700,000	1,000,000	9,835,774.20	65,840,007	2.23%	14.94
1,000,000	2,000,000	66,390,625.06	442,913,333	15.03%	14.99
2,000,000	3,000,000	81,340,528.22	545,551,847	18.51%	14.91
3,000,000	4,000,000	51,678,556.22	350,943,542	11.91%	14.73
4,000,000	5,000,000	45,233,469.52	300,520,285	10.20%	15.05
5,000,000	6,000,000	45,831,927.65	310,280,335	10.53%	14.77
6,000,000	7,000,000	9,885,338.40	68,257,883	2.32%	14.48
7,000,000		118,652,224.71	813,394,890	27.60%	14.59
Total/Weighted Average		\$ 436,138,846.39	2,947,498,446	100.00%	14.80

* Based on Federal order minimum prices. Producer prices for the two orders are subject to location adjustments. The effects of the location adjustments are not dealt with in this study.

Figure A-1
FREQUENCY DISTRIBUTION OF MONTHLY AVERAGE BUTTERFAT LEVELS
PACIFIC NORTHWEST ORDER
2005




Figure A-2
FREQUENCY DISTRIBUTION OF MONTHLY AVERAGE PROTEIN LEVELS
PACIFIC NORTHWEST ORDER
2005




Figure A-3
FREQUENCY DISTRIBUTION OF MONTHLY AVERAGE OTHER SOLIDS
LEVELS: PACIFIC NORTHWEST ORDER
2005




Figure A-4
FREQUENCY DISTRIBUTION OF MONTHLY AVERAGE BUTTERFAT LEVELS
ARIZONA-LAS VEGAS ORDER
2005





Figure A-5
SCATTER PLOT OF PROTEIN AND BUTTERFAT
MAY AND NOVEMBER 2005
Pacific Northwest Order

May 2005



November 2005




Figure A-6
SCATTER PLOT OF OTHER SOLIDS AND BUTTERFAT
MAY AND NOVEMBER 2005
Pacific Northwest Order





Figure A-7
WEIGHTED AVERAGE COMPONENT LEVELS
BY SIZE-RANGE OF PRODUCER MILK DELIVERIES
2005







Figure A-8
WEIGHTED AVERAGE VALUES AND PERCENT OF PRODUCER MILK
BY SIZE-RANGE OF PRODUCER MILK DELIVERIES
2005


Pacific Northwest Order



Arizona-Las Vegas Order



MAP A-1
Marketing Area of the Pacific Northwest (FO 124)
and Arizona-Las Vegas (FO131) Federal Orders



MAP A-2
Geographic Regions Encompassing The Pacific Northwest and
Arizona-Las Vegas Order Milk Sheds, 2005

